Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

LAREDO, TEX., *September 20, 1903.*

WYMAN, *Washington:*

Arrived Laredo. Have inspected Service quarantine. City, State, and Service working in harmony and efficiently.

* * * * * * *

Leaving for New Orleans to-morrow.

RICHARDSON.

Yellow fever in Monterey.

LAREDO, TEX., *September 21, 1903.*

WYMAN, *Washington:*

Texas inspector at Monterey reports yellow fever is now present in Monterey. Will return to Texas via Eagle Pass, Tex.

HAMILTON.

MONTEREY, *September 23, 1903.*

SECRETARY OF STATE, *Washington:*

Doctors report yellow fever in Monterey. Hope to control it.

HANNA,
Consul-General.

Statistical reports of States and cities of the United States—Yearly and monthly.

CALIFORNIA—*Oakland.*—Month of August, 1903. Estimated population, 83,000. Total number of deaths, 87, including diphtheria 3, enteric fever 1, and 12 from tuberculosis.

Sacramento.—Month of August, 1903. Estimated population, 30,000. Total number of deaths, 38, including enteric fever 1, scarlet fever 1, whooping cough 1, and 1 from phthisis pulmonalis.

San Diego.—Month of August, 1903. Estimated population, 20,000. Total number of deaths, 16, including 2 from phthisis pulmonalis.

COLORADO—*Denver.*—Month of July, 1903. Estimated population, 175,000. Total number of deaths, 241, including diphtheria 6, enteric fever 2, scarlet fever 1, whooping cough 3, and 54 from tuberculosis.

FLORIDA—*Tampa.*—Month of August, 1903. Estimated population, 2,000. Total number of deaths, 15, including 4 from tuberculosis.

INDIANA—*Evansville.*—Month of August, 1903. Estimated population, 70,000. Total number of deaths, 68, including enteric fever, 2, and 14 from tuberculosis.

IOWA—*Des Moines.*—Month of August, 1903. Estimated popu-

lation, 80,000. Total number of deaths, 58. No deaths from contagious diseases reported.

Dubuque.—Two weeks ended September 12, 1903. Estimated population, 40,000. Total number of deaths, 20. No deaths from contagious diseases reported.

Keokuk.—Month of August, 1903. Estimated population, 16,000. Total number of deaths, 4. No deaths from contagious diseases reported.

Ottumwa.—Month of July, 1903. Estimated population, 22,000. Total number of deaths, 23, including enteric fever, 1, and 3 from tuberculosis.

Month of August, 1903. Total number of deaths, 30, including enteric fever, 1, and 3 from tuberculosis.

LOUISIANA—*New Orleans.*—Month of August, 1903. Estimated population, 310,000—white, 227,000; colored, 83,000. Total number of deaths, 486—white, 313; colored, 173—including diphtheria, 2; enteric fever, 21; whooping cough, 3, and 79 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended September 12, 1903, from 84 observers, indicate that bronchitis, tonsillitis, and pneumonia were more prevalent, and pleuritis, scarlet fever, and whooping cough were less prevalent than in the preceding week. Meningitis was reported present at 4, measles at 10, whooping cough at 23, smallpox at 27, diphtheria at 31, scarlet fever at 45, enteric fever at 88, and phthisis pulmonalis at 216, places.

Grand Rapids.—Month of August, 1903. Estimated population, 95,000. Total number of deaths, 123, including diphtheria 2, enteric fever 2, and 8 from tuberculosis.

NEW HAMPSHIRE—*Concord.*—Month of August, 1903. Estimated population, 20,000. Total number of deaths, 31, including 1 from tuberculosis.

NEW YORK—*Buffalo.*—Month of August, 1903. Estimated population, 380,000. Total number of deaths, 538, including diphtheria 15, enteric fever 9, measles 13, scarlet fever 3, whooping cough 4, and 39 from tuberculosis.

NORTH CAROLINA—*Charlotte.*—Month of August, 1903. Estimated population, 30,000. Total number of deaths, 36, including enteric fever, 4, and 1 from tuberculosis,

PENNSYLVANIA—*Altoona.*—Month of August, 1903. Census population, 38,973. Total number of deaths, 63, including diphtheria, 1; enteric fever, 2; whooping cough, 2, and 2 from tuberculosis.

RHODE ISLAND—*Newport.*—Month of August, 1903. Estimated population, 28,000. Total number of deaths, 26, including diphtheria, 1, and 4 from tuberculosis.

TENNESSEE—*Chattanooga.*—Months of July and August, 1903.

Estimated population, 40,000; white, 27,000; colored, 13,000. Total number of deaths, 82; white, 40; colored, 42, including diphtheria 2, enteric fever 3, smallpox 1, and 9 from tuberculosis.

Knoxville.—Month of August, 1903. Estimated population, 40,000; white, 30,000; colored, 10,000. Total number of deaths, 48; white, 37; colored, 11, including enteric fever 4, and 4 from tuberculosis.

Nashville.—Month of August, 1903. Estimated population, 81,803; white, 51,387; colored, 30,416. Total number of deaths, 131; white, 62; colored, 69, including enteric fever 12, measles 1, whooping cough 1, and 16 from tuberculosis.

WASHINGTON.—*Seattle.*—Month of August, 1903. Estimated population, 125,000. Total number of deaths, 116, including diphtheria 1, enteric fever 5, and 13 from tuberculosis.

Tacoma.—Month of August, 1903. Estimated population, 55,000. Total number of deaths, 36, including diphtheria 1, and 4 from tuberculosis.

Report of immigration at Baltimore for the week ended September 19, 1903.

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Port of Baltimore, September 19, 1903.

Number of aliens who arrived at this port during the week ended September 19, 1903; also names of vessels and ports from which they came.

Date.	Name of vessel.	From—	Number of aliens.
Sept. 13	Neckar	Bremen	2,014
16	Rhein	do	1,561
18	Salvatore Di Giorgio	Port Antonio	10
	Total		3,585

BERTRAM H. STUMP,
Acting Commissioner.